



blachere[®]
illumination

Manifest



Vi tror att belysning ger mer än bara ljus till stads – och bostadsområden.

Vi tror på dess förmåga att förundra, att lysa upp och att berätta sagor.

Vi skapar och uppfinner utifrån era projekt och genomarbetar varje detalj så att resultatet skall motsvara era förväntningar.

Vi är fast beslutna att tillverka kvalitetsprodukter med hänsyn till miljön och framtida generationer. Generositet och etik är kärnan i vår kultur som återfinns i alla våra projekt över hela världen.

Vi på Blachere har tillverkat belysningar med omsorg och passion i 50 år.



Vi tror på at lys er mere end blot oplysning af byrum og private hjem.

Vi tror på lysets evne til at forundre, bringe glæde og skabe minder.

Når vi udvikler og designer vores belysning, indarbejder vi disse værdier i enhver detalje.

Vi sætter en dyd i at producere kvalitetsprodukter, der tager hensyn til både miljø og mennesker.

Goodwill og en etisk tilgang er grundstenen for vores virksomheds værdier, og kan ses i alle vores projekter over hele verden.

Vi er Blachere og vi har produceret lys og lysinstallationer med ansvar og passion i 50 år.



Vi mener at jul- og vinterbelysning gjør langt mer enn å lyse opp våre byer og tettsteder.

Vi tror på lysets evne å overraske, skape glede og få fram eventyrstemning. Vi designar og utvikler produkter som gjenspeiler alt dette ned til minste detalj.

Vi bestreber oss på god kvalitet i alle våre produkter og vi gjør vårt ytterste for å ivareta miljø og humanitært arbeid.

Bærekraft og etikk er hjertet i vår bedriftskultur og manifesterer seg i alle våre prosjekter rundt om i verden.

Vi er Blachere og har produsert belysning med omtanke og lidenskap i 50 år.




Uskomme että valaistuksen avulla voi urbaaniin kulttuuriin ja elinympäristöön tuoda muutakin kuin valoa: Me uskomme ihmeen voimaan, satumaailmojen luomiseen ja niiden valaisuun. Kaikki nämä asiat sisältyvät tapaan, jolla me suunnittelemme ja kehitämme valaistuksiamme.

Me olemme sitoutuneet valmistamaan laadukkaita tuotteita, unohtamatta ympäristöystävällisyttä ja ihmillisyyttä.

Sekä liiketaloudellinen että eettinen lähestymistapa on toimintamme perusajatuksia ja nähtävissä eri projekteissamme ympäri maailman.

Me olemme Blachere illumination ja olemme tuottaneet valaistuksia huolella ja intohimoisesti jo 50 vuotta.



It all started in 1973, in Apt, when Jean-Paul Blachère lit up his first street. The locals' smiles and reactions confirmed that lighting has a unique magical power.

Lighting became his profession, one that he has pursued with dedication, creating a unique know-how and heritage that he has passed on.

For 50 years, we have been designing, creating and producing decor and illuminations in over 80 countries across the globe with as much enthusiasm as that very first day.

400 employees work every day to enhance cities around the world.

A BEAUTIFUL STORY



Our local teams in each Scandinavian offices are here to create the appropriate project for you !

50



Wherever our projects take us, we work with the same attention to illuminate the smallest village as the largest capital.

We understand and adapt to the needs and challenges of all cities, from Mexico to the US and Sweden.

Thanks to locally-based teams in 27 subsidiaries dotted around the world, we can meet the expectations of each city and the culture of each country so that our installations are as unique as they are practical.

27 subsidiaries

**1000 city illuminations in
more than 80 countries
as well as 800 shopping
centres worldwide**



**LIGHT UP
THE WHOLE WORLD?**



Everything is starting with a pencil stroke... creation is the basis of all our projects.

In France and around the world, more than 30 designers imagine our decorations with care and passion.

They design the decorations of your cities and living spaces, proposing a hundred or so new designs each year to surprise you again and again.

Thanks to our innovations, we have found the right balance between ancestral know-how and industrialization:

From artistic ironwork to the most meticulous wiring, more than 6,000 custom-made decorations take shape in our workshops each year : The «Haute Couture» of illuminations.

At the same time, our catalogue decorations from our Summer and Winter collections are printed using plastic bottles manufactured in our workshop with 10 large-format robot printers. 350,000 eco-friendly decorations have been printed since 2016.



10 large-format robot 3D printers

4 factories worldwide

400 people in our international workshops



FACE EACH
CHALLENGE TOGETHER



Eco-responsibility is at the heart of our corporate strategy, and we are constantly thinking about innovation and the use of eco responsible materials more than ever before.

Even if some of our ideas are off-the-cuff, our innovations are covered to numerous patents and all our creations are protected.

In order to respond with creativity and practicality to the new challenges posed by energy-saving needs and ecological issues, we continually design and produce ingenious solutions and tools.

After Bioprint, a recyclable and biodegradable material based on sugar cane, we are transitioning to a 100% Recyprint range of 300 decorations made from recycled plastic bottles.

Half of our research and development budget is allocated to ecoresponsible innovations..

**We have removed 80% of the
aluminium in our 2D decorations,
100% Led low consumption for 20 years.**

Our 100% LED lighting components are also recycled after use and are all connectable via our Octoplus fast connection system.

In addition to our eco-responsible structures, we have devised some ingenious tools: TEMPO, SWITCH+ and ORCHESTRA which make it possible to time, control and program decorations in both small towns and buzzing cities, resulting in cost-savings of over 50%!



RECYPRINT STRUCTURE

plastic bottles

ALUMINIUM FRAME

recycled

INTERCONNECTIVITY

Octoplus & steering box

RECYCLED ELECTRIC COMPONENTS

recycled

REFINED CREATIVITY



RECYPRINT

a plastic transformed into magical decorations



Recyprint emits 10 times less CO₂ than aluminum.

1,590,332 bottles have already been recycled into Christmas decorations.




500 billion plastic bottles are produced each year, and many are discarded in the countryside or our oceans

At Blachere, we have found a way to transform PET (polyethylene terephthalate) into decors that are as stunning as they are innovative! Recycled bottles are sorted by colour and then ground into flakes. The resulting granules are then injected into our 3D printers to produce a unique blue decoration. This method helps to limit greenhouse gas emissions and prevent as many plastic bottles as possible from polluting land and seascapes.

Our innovations are protected by numerous patents.

SORTING WASTE can be child's play



By encouraging today's youth to recycle is a major challenge that we have answered with creativity and fun. We have made this vital step a fun and playful collective act thanks to creating containers in the form of funny animals (p.110-111).





Oslo, Norway



Langesund, Norway




Gjøvik, Norway




Friis Shopping Center, Aalborg, Denmark

REFERENCES





Stockholm



Växjö, Sweden




Växjö, Sweden




Malmö, Sweden




COLLECTION STREETS








Composition ideas




2 GP303W
+
1x ITGL117R

2 GP303W
+
1x ITGL102W

2 GP303W
+
1x GX048LW







ITGL141 ⚡
◆ 1m - ◆ 1m - □ 0.4m
↳ 40W - ▲ 5.5kg - ■ 69



GX117LW ⚡
◆ 2m - ◆ 1.5m - □ 1.5m
↳ 130W - ▲ 25.6kg - ■ 11
SLOWGLOW





Ref: PIX01
Horizontal bracket
H:0,90 m - L:1,10 m
inter distance max:1,00 m -max load: 25 kg

Composition ideas



2 GP303W
+
1x FCL080G-E


2 GP303W
+
1x ITL022W

2 GP303W
+
1x GX116LW






34



3D

3D foldable spheres
(for optimized storage)



$\phi 0,60m$

- TGL70LWW
sphere pliable pm
◆ 0,60m - ◆ 0,60m - ■ 0,60m
⚡ 30W - ☒ 3.9kg
- TGL70LW

$\phi 1,00m$

- TGL71LWW
sphere pliable mm
◆ 1,00m - ◆ 1,00m - ■ 1,00m
⚡ 8W - ☒ 15.0kg
- TGL71LW

$\phi 1,60m$

- TGL72LWW
sphere pliable gm
◆ 1,60m - ◆ 1,60m - ■ 1,60m
⚡ 165W - ☒ 24,8kg
- TGL72LW




35


Collection Streets



GX057LW: Passive balls not included








ITL019 *

◆ 2m - ◆ 2m
⚡ 95W - ▲ 13.2kg



ITL016W *

◆ 3.1m - ◆ 3.1m
⚡ 200W - ▲ 25.7kg- 244
FLASH




ITL017 *

◆ 2.02m - ◆ 2.02m
⚡ 135W - ▲ 15.2kg



ITL021 *

◆ 1.25m - ◆ 1.25m
⚡ 55W - ▲ 4.6kg- 65




ITL020W *

◆ 0.97m - ◆ 0.85m
⚡ 40W - ▲ 4.5kg- 47




ITL046 *

◆ 0.82m - ◆ 0.7m
⚡ 30W - ▲ 3.3kg




ITL022W *

◆ 0.97m - ◆ 0.85m
⚡ 30W - ▲ 3kg- 41




ITL115 *

◆ 0.48m - ◆ 0.42m
⚡ 16W - ▲ 4kg- 41




ITL115 *

◆ 0.48m - ◆ 0.42m
⚡ 16W - ▲ 4kg- 41



Ref: PIX01
Horizontal bracket
H:0,90 m - L:1,10 m
inter distance max: 1,00 m -max load: 25 kg









48

COLLECTION *3D & TREES*

49



NORDIKA,

a majestic conifer as realistic as a natural one

[Blachere
Exclusivity]

Who doesn't love a fabulous Christmas tree? And yet, it takes between 30 and 40 years for a natural conifer to reach 12m in height. As we want to avoid deforestation halting the felling of these majestic trees, we invented NORDIKA. Pre-illuminated with a slowglow effect, easy to assemble and store, they are perfect replicas of their natural version, both in their design and incredibly realistic appearance - as true to life as it gets.

Our environmental approach is based on a simple principle: to save at least as much carbon as we generate. We do this by only using biocompatible materials, which we recycle at the end of their lifespan.



OPTIONAL
TREETOP



HYPER REALISTIC
CHRISTMAS TREE
BRANCHES



WOOD-EFFECT TRUNK



WOOD EFFECT
STAND AVAILABLE








NORDIKA,

The Christmas tradition

The perfect regularity of the branches, the realistic high-quality finishes and a majestic size make our conifers a festive must. You can customise your Nordika every year for a unique look: hang Christmas baubles on its branches, add a set of lights, or even set it on a wooden base.



Ref	Name	Height	Ø	P(W)	Weight	No of elements	Colour of Led	No of Led
GX081LW-2	sapin Nordika - PM	5,00 m	3,56 m	245 W	263 kg	46	...	2976 (1488 steady + 1488 with slowglow effect)
GX082LW	sapin Nordika - MM	8,00 m	4,70 m	770 W	1112 kg	107	...	8664 (4332 steady + 4332 with slowglow effect)
GX083LW	sapin Nordika - GM	12,00 m	5,90 m	1870 W	2750 kg	194	...	21048 (10524 steady + 10524 with slowglow effect)

**FREE STANDING
NO NEED TO SECURE
WITH WIRES**

**TOTALLY
SAFE 24V**

**INDOOR &
OUTDOOR USE**

**PVC
FREE**

**PRE-LIGHTED
WITH 100% LED
SLOWGLOW EFFECT**

**CAN BE TOTALLY
DISMANTLED
(EASY TRANSPORT
AND STORAGE)**



NORDIKA,

Accessories

Decorative baubles kit

Each kit features 52 baubles in the same colour (M1/B1 category-fireproof)-50% shiny /50% satiny

- 28 baubles ø 12cm
- 20 baubles ø 20cm
- 4 baubles ø 25cm



Colour	Reference
Silver	KITNDK-A
Blue	KITNDK-B
Gold	KITNDK-O
Red	KITNDK-R

Recommendations

- Nordika - 5 m → 2 kits - 104 baubles
 Nordika - 8 m → 4 kits - 208 baubles
 Nordika - 12 m → 8 kits - 416 baubles

Bioprint & Recyprint kit

Each kit features 20 motives

- 8 motives ø 50cm
- 12 motives ø 30cm



Colour	Motive	Reference
Blue/White	Snowflake	KITNDK-F
Gold/White	Star	KITNDK-E


Recommendations

- Nordika - 5 m → 2 kits - 40 décos
 Nordika - 8 m → 4 kits - 80 décos
 Nordika - 12 m → 8 kits - 160 décos

Base and tree topper

4 tree toppers are available for an additional magical touch to your Nordika tree.

Bases can also be featured with all Nordika trees.



Tree topper	Ø	Reference
tree topper star7	0,80m	CIME7
tree topper bella	1,00m	CIME2
tree topper mia	1,00m	CIME6
tree topper aiguille	1,00m	CIME4

Base	Reference
Nordika base 5m (GX081LW-2)	SOCLGX81
Nordika base 8m (GX082LW)	SOCLGX82
Nordika base 12m (GX083LW)	SOCLGX83




IPL140W ⚡
◆ 1.6m - ◆ 0.65m
⚡ 20W - ▲ 6.5kg - 21
SLOWFLASH

IPL139W ⚡
◆ 3.0m - ◆ 1.2m
⚡ 40W - ▲ 13.6kg - 21
SLOWFLASH



SL041W ⚡
◆ 3m - ◆ 2.4m - □ 2.4m
⚡ 125W - ▲ 72kg - 214
SLOWGLOW
With 5 sides

Decorative baubles not included - Decorating suggestion





GX194L *

- ◆ 1.2m - ♦ 2.3m - □ 1.2m
- ‡ 79W - ▲ 82kg - 277

GX092L *

◆ 2.2m - ♦ 1.15m - □ 0.7m
‡ 22W - ▲ 99kg
FLASH

GX093L *

◆ 2m - ♦ 1.2m - □ 0.6m
‡ 22W - ▲ 52kg
FLASH

SOCL43 *

◆ 2.20m - ♦ 2.00m
‡ 25W - ▲ 22.5kg - 319

GX163L

- ◆ 2.80m - ♦ 2.02m - □ 1.25m
- ‡ 30W - ▲ 40.0kg
FLASH

GX172LW *

- ◆ 2.15m - ♦ 1.2m - □ 0.3m
- ‡ 46W - ▲ 25kg - 157
FLASH



◆ 2.15m - ♦ 1.20m - □ 0.30m
‡ 46W - ▲ 25.0kg - 57
FLASH



GX105L ◆ 2.70m - ♦ 2.30m - □ 2.30m
⚡ 70W - ▲ 91.5kg
FLASH



GX166L ◆ 2.30m - ♦ 2.20m - □ 2.60m
⚡ 60W - ▲ 77.5kg
FLASH



GX151L ◆ 2.00m - ♦ 1.00m - □ 1.00m
⚡ 25W - ▲ 27.0kg
FLASH



GX152L ◆ 2.00m - ♦ 1.48m - □ 0.85m
⚡ 20W - ▲ 27.5kg
FLASH

GX147L ◆ 2.20m - ♦ 1.75m - □ 1.40m
⚡ 30W - ▲ 37.0kg
FLASH



GX210LW ◆ 0.90m - ♦ 2.35m - □ 0.90m
⚡ 30W - ▲ 34.0kg
FLASH



GX149L ◆ 2.00m - ♦ 1.10m - □ 1.10m
⚡ 56W - ▲ 36.0kg
FLASH



GX139LW-S ⚡ ◆ 1.9m - ◆ 2.66m - □ 1.2m
⚡ 35W - ▲ 48kg

GX137LW-S ⚡ ◆ 3m - ◆ 3.09m - □ 0.9m
⚡ 35W - ▲ 52kg

GX140LW-S ⚡ ◆ 2.4m - ◆ 3.6m - □ 1.5m
⚡ 87W - ▲ 70kg

GX135LW-S ⚡ ◆ H:1.5m - ◆ L:1.16m - □ P:1m
⚡ 29W - ▲ 25kg


GX136LW-S ⚡ ◆ 4m - ◆ 4.6m - □ 3.66m
⚡ 116W - ▲ 97kg

GX138LW-S ⚡ ◆ 4m - ◆ 3m - □ 2m
⚡ 96W - ▲ 88kg

GX141LW-S ⚡ ◆ 1.9m - ◆ 1.8m - □ 0.65m
⚡ 39W - ▲ 29kg

GX142LW-S ⚡ ◆ 2.3m - ◆ 2.1m - □ 0.76m
⚡ 20W - ▲ 38kg














COLLECTION *GARLANDS*






Garlands, Blachere LEDs

led +



Blachere Illumination
exclusive




By considering practical use in their innovative designs, our R&D department has devised the all-new LED+ in both static and slowflash editions to make your projects come alive! Our new and exclusive LED range is the outcome of a long-term collaboration with Nichia®, the world leader in LEDs. The range is:

+ bright, + robust, + long span, + consistent in terms of color

The new technical features of LED+:

- **Design is optimized and registered**
to promote the luminous efficiency of our product (inverted cone principle).
- **Thermal dissipation is maximized**
for longer LED life
- **Uniform phosphorus deposition**
for a uniform lighting effect.
- **2 years guarantee**
- **Optimum protection index: IP66 / IP69**
- **Octoplus 230V Connection System by Blachere IP67**

led *Classic*



Our standard LED model!

Bright and stable (lifespan and colour), our Classic LEDs has also inverted cones (homogeneous light diffusion).

Its production is closely followed to make sure the quality is optimal and competitive on the market.

230V model: IP66
24V model: IP55

Keys - Garlands

◆ Height

White cable

Pure white Led

Indoor/outdoor use

◆ Length

Black cable

Warm white Led

Type of cable

■ Width

Green cable

Blue Led

Supply voltage

P(W) Wattage

Silver cable

Red Led

Protection rating

|| Number of strings

Brown cable

Amber Led

Power supply included

☒ Number of garlands that
can be connected end-to-end

Transparent cable

Pink Led

Shock resistance index

⚡ Voltage

Pure white Led flash

Green Led

Octoplus by blachere® 230V
exclusive range

☒ Weight

Warm white Led flash

Multicoloured Led


Octoplus by blachere® 24V
exclusive range



Sparklight® garlands Led+ & slowflashes



requires 230V power supply cable L:1,50m FY08+ type... and bridge rectifier FY043+ type.... p 240



product info						
Blachere exclusive						
- Registered design						
- High brightness						
- Shock resistant IK06						
- Long lifespan						
- Stable colour						
- IP 66/69 protection rating.						
Maximum rating allowed for a 230V product						
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.						
2 YEARS GUARANTEE						
conditions : contact us						


◆	LED	SLOWFLASH	P (W)	□	□	■
20,00 m	108 ○	52 ○	11,5	100m	FL590BF+	FL590F+
20,00 m	108 ○	52 ○	11,5	100m	FL590WBF+	FL590WF+
20,00 m	108 ●	52 ○	11,5	100m		FL590BLF+
20,00 m	108 ●	52 ○	11,5	100m		FL590RF+
1,50 m	230V power supply cable				FY08-B+	FY08+
0,30 m	bridge rectifier		690W max		FY043A-B+	FY043A+
0,20 m	bridge rectifier		230W max		FY041A-B+	FY041A+



Joylight® curtains Led + & slowflashes



requires 230V power supply cable L:1,50m FY08+ type...
and bridge rectifier FY043+ type... p.240



◆	◆	LED	SLOWFLASH	P (W)	■	□	■
1,50 m	2,00 m	150 ○	60 ○	17	15	27	FL74BF+ FL74F+
1,50 m	2,00 m	150 ●	60 ●	17	15	27	FL74WBF+ FL74WF+
3,00 m	2,00 m	240 ○	120 ○	25	15	18	FL70BF+ FL70F+
3,00 m	2,00 m	240 ●	120 ●	25	15	18	FL70WBF+ FL70WF+
5,00 m	2,00 m	360 ○	180 ○	65	15	9	FL75BF+ FL75F+
5,00 m	2,00 m	360 ●	180 ●	65	15	9	FL75WBF+ FL75WF+
7,00 m	2,00 m	510 ○	240 ○	70	15	9	FL72BF+ FL72F+
7,00 m	2,00 m	510 ●	240 ●	70	15	9	FL72WBF+ FL72WF+
10,00 m	2,00 m	690 ○	360 ○	80	15	8	FL79BF+ FL79F+
10,00 m	2,00 m	690 ●	360 ●	80	15	8	FL79WBF+ FL79WF+
1,50m	230V power supply cable						FY08-B+ FY08+
0,30m	bridge rectifier						FY043A-B+ FY043A+
0,20m	bridge rectifier						FY041A-B+ FY041A+

product info

Blachere exclusive

- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product.
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range.

2 YEARS GUARANTEE


conditions : contact us



Joylight®Led+ curtains static



requires 230V power supply cable L: 1,50m FY08+ type...
and bridge rectifier FY043+ type... p.240



◆	◆	LED	P (W)	■	□	■
1,50 m	2,00 m	210 ○	20	15	25	FL74-B+
1,50 m	2,00 m	210 ●	20	15	25	FL74W-B+
3,00 m	2,00 m	360 ○	30	15	16	FL70-B+
3,00 m	2,00 m	360 ●	30	15	16	FL70W-B+
5,00 m	2,00 m	540 ○	67	15	9	FL75-B+
5,00 m	2,00 m	540 ●	67	15	9	FL75W-B+
7,00 m	2,00 m	750 ○	69	15	9	FL72-B+
7,00 m	2,00 m	750 ●	69	15	9	FL72W-B+
10,00 m	2,00 m	1050 ○	77	15	9	FL79-B+
10,00 m	2,00 m	1050 ●	77	15	9	FL79W-B+
1,50m	230V power supply cable					FY08-B+
0,30m	bridge rectifier		690W max			FY043A-B+
0,20m	bridge rectifier		230W max			FY041A-B+
						FY08+
						FY043A+
						FY041A+

product info

Blachere exclusive

- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product.
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range p.240-241.

2 YEARS GUARANTEE


conditions : contact us



Stalactitlight® Led+ with slowflash or static



requires 230V power supply cable L:1,50m FY08+ type...
and bridge rectifier FY043+ type...



► with slowflash

◆	◆	LED	SLOWFLASH	P (W)	■	□	□
0,80 m	4,50 m	120 ○	60 ○	16	48	20	FL390BF+
0,80 m	4,50 m	120 ○	60 ○	16	48	20	FL390WBF+
1,50m		230V power supply cable		690W max			FY08-B+
0,30m		bridge rectifier		690W max			FY043A-B+
				230W			FY041A-B+

► static

◆	◆	LED	P (W)	■	□	□
0,80 m	4,50 m	180 ○	16	48	20	FL390-B+
0,80 m	4,50 m	180 ○	16	48	20	FL390W-B+
1,50m		230V power supply cable	690W max			FY08-B+
0,30m		bridge rectifier	690W max			FY043A-B+
			230W			FY041A-B+

product info

Blachere exclusive

- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating. Maximum rating allowed for a 230V product.
- Flexible connectivity thanks to the extensive Octoplus 230V by Blachere range. p.240.

2 YEARS GUARANTEE

conditions : contact us




Sparklight® garlands

Garlands static



requires 230V power supply cable L:1,50m FY08+ type... and bridge rectifier FY043+ type.... p 240



product info

Blachere exclusive
- Registered design
- High brightness
- Shock resistant IK06
- Long lifespan
- Stable colour
- IP 66/69 protection rating.
Maximum rating allowed for a
230V product
- Flexible connectivity thanks to
the extensive Octoplus 230V by
Blachere range.


2 YEARS GUARANTEE

conditions : contact us

◆	LED	P (W)	□	□	■
20,00 m	160 ○	11,5	100m	FL590-B+	FL590+
20,00 m	160 ○	11,5	100m	FL590W-B+	FL590W+
20,00 m	160 ●	11,5	100m		FL590BL+
20,00 m	160 ●	11,5	100m		FL590R+
1,50 m	230V power supply cable			FY08-B+	FY08+
0,30 m	bridge rectifier	690W max		FY043A-B+	FY043A+
0,20 m	bridge rectifier	230W max		FY041A-B+	FY041A+



Sparklight® garlands with flash or static



► 100% flash

◆	LED	P (W)		<input type="checkbox"/>	
20,00 m	80 ⬤	5	100m		510-FX



► with flash

◆	LED	FLASH	P (W)		<input type="checkbox"/>	
20,00 m	90 ⬤	30 ⬤	8	100m		512-FX
20,00 m	90 ⬤	30 ⬤	8	100m		512W-FX
20,00 m	150 ⬤	50 ⬤	15,5	100m	<input checked="" type="checkbox"/>	511B-FX
20,00 m	150 ⬤	50 ⬤	15,5	100m	<input checked="" type="checkbox"/>	511-FX
20,00 m	150 ⬤	50 ⬤	15,5	100m	<input checked="" type="checkbox"/>	510BW-FX
20,00 m	150 ⬤	50 ⬤	15,5	100m	<input checked="" type="checkbox"/>	510W-FX
20,00 m	150 ⬤	50 ⬤	15,5	100m	<input checked="" type="checkbox"/>	510B-FX
20,00 m	150 ⬤	50 ⬤	15,5	100m	<input checked="" type="checkbox"/>	510R-FX
20,00 m	150 ⬤	50 ⬤	15,5	100m	<input checked="" type="checkbox"/>	510P-FX

► static

◆	LED	P (W)		<input type="checkbox"/>	
20,00 m	200 ⬤	15	100m	<input checked="" type="checkbox"/>	508-B
20,00 m	200 ⬤	15	100m	<input checked="" type="checkbox"/>	508W-B
20,00 m	200 ⬤	15	100m	<input checked="" type="checkbox"/>	508B
20,00 m	120 ⬤	8	100m	<input checked="" type="checkbox"/>	512C
20,00 m	120 ⬤	8	100m	<input checked="" type="checkbox"/>	512CW


product info

Proven reliability.
Power supply with connecting socket included.
Wide range of Octoplus 230V by Blachere accessories available.

High flash concentration on FX models.
Increased waterproofing thanks to optimum protection rating.



Joylight® Curtains with flash or static




► static (individual strands)

◆	◆	LED	P (W)	¶	□	□
1,50 m	2,00 m	342 ○	30	18	20	24C-B
1,50 m	2,00 m	342 ●	30	18	20	24CW-B
3,00 m	2,00 m	540 ○	35	18	15	20C-B
3,00 m	2,00 m	540 ●	35	18	15	20CW-B
5,00 m	2,00 m	900 ○	65	18	9	25C-B
5,00 m	2,00 m	900 ●	65	18	9	25CW-B
7,00 m	2,00 m	1080 ○	72	18	9	22C-B
7,00 m	2,00 m	1080 ●	72	18	9	22CW-B
10,00 m	2,00 m	1350 ○	58	18	10	29C-B
10,00 m	2,00 m	1350 ●	58	18	10	29CW-B

product info
Ideal for decorating facades, trees or for cross-street motifs.
Up to 30 curtains on the same power supply.
Compatible with the entire range
Connection options with the Octoplus 230V by Blachere® accessories.



Joylight® Slowglow curtains



◆	◆	LED Slowglow	P (W)	■	□	□
1,50 m	2,00 m	120 ○	16	15	13	24SG
1,50 m	2,00 m	120 ●	16	15	13	24WSG
3,00 m	2,00 m	180 ○	15	15	12	20SG
3,00 m	2,00 m	180 ●	15	15	12	20WSG
5,00 m	2,00 m	210 ○	17	15	12	25SG
5,00 m	2,00 m	210 ●	17	15	12	25WSG
7,00 m	2,00 m	225 ○	17	15	12	22SG
7,00 m	2,00 m	225 ●	17	15	12	22WSG
10,00 m	2,00 m	270 ○	15	15	13	29SG
10,00 m	2,00 m	270 ●	15	15	13	29WSG


product info
New animation exclusive to Blachère Illumination. Gentle lighting effect, snowflake effect. Compatible with the entire range. Connection options with 230V Octoplus® accessories by Blachère®.




Stalactitlight® with flash or static



3x 1,50m



Refs : 352/354



Refs : 353

► static

◆	◆	LED	P (W)	¶	□	□
0,57 m	4,50 m	180 ○	12	48	15	352
0,57 m	4,50 m	180 ●	12	48	15	352W
1,00 m	4,50 m	240 ○	12	36	15	354
1,00 m	4,50 m	240 ●	12	36	15	354W
1,50 m	4,50 m	320 ○	16	32	15	353C
1,50 m	4,50 m	320 ●	16	32	15	353CW

product info

An absolute must since its creation, this product is a best-seller owing to its reliability.


Can be divided into sections for greater adaptability.

Compatible with the entire range.


Connection options with 230V Octoplus® accessories by Blachere®.



Hanging bouquets indoor & outdoor



drawing of installation:



► Outdoor use / IP55 - Rubber cable

Ø	Colour	LED	FLASH	P (W)	
0,80 m	Silver	441 ⓠ	63 ⓠ	25	FCL080A-E
0,80 m	Gold	441 ⓡ	63 ⓠ	25	FCL080G-E

Outdoor transformer for FCL bouquet - sold separately

25 PRTR24V


product info

The hanging bouquets animated with flash with a gold or silver decoration, good daytime effect.

Works with a PRTR24VI or PRTR24V transformer - sold separately.



Bulbs *Nostalgia XL*



set of 4 bulbs

			micro LED	FLASH	P (W)	
2,00 m	2,00 m	ø 28 cm - H 50 cm	400	200	7,2W	FL930BB

individual bulb

	micro LED	FLASH	P (W)	<input type="checkbox"/>
1 bulb - connection on FYPTR9B only (not supplied)	100	50	2	G-FL930BB
230V -> 24V transformer with Octoplus connector				FYPTR9B

product info

Ideal for tree decorations or suspended on ropes, these oversized bulbs also twinkle.


A very trendy retro effect !

Available in packs of 4 bulbs that come with a transformer, or singles).

Aluminium lamp cap (stainless).



Hanging balls with flame effect



► set of 5 spheres

◆	◆	animation		P (W)	■
3,00 m	1,20 m	glittering	5 ● Ø 20 cm	15	FL920LU

► individual sphere

1 ball Ø20cm - to connect on FYPTR9 only	1 ● Ø 20 cm	3	G-FL920LU
230V -> 24V transformer with Octoplus connector			FYPTR9

product info

Ideal for tree decorations or suspended on ropes.

Simulate the warm light of candles with a new flickering animation.

A very trendy retro effect.


Set of 5 spheres or individual.



104



Pre-lit *swag garland*



► swag garland per unit


◆	Ø	LED	P (W)	✉	■
3,00 m	0,35 m	400 ⚡	30	6	GP303W
4,00 m	0,35 m	500 ⚡	38	4	GP304W

product info					
Great classic of traditional street decorations.					
Quick-fit accessories, extension leads, multi-socket connectors.					

105



Synthetic pre-lit fir garlands (set of 2)



► with flash

◆	Ø	LED	FLASH	P (W)	⌚	■
2,70 m	0,30 m	180 ⚡	60 ⚡	11	10	GP134LWFX

► static

◆	Ø	LED	P (W)	⌚	■
2,70 m	0,30 m	240 ⚡	11	10	GP134L-W


product info

Great classic for traditional street decorations.

Quick-fit accessories, extension leads, multi-socket connectors Octoplus® 230V by Blachere®.



LED⁺ Braided Garlands led+ with flash



micro steel wire

► with flash

◆	Ø	LED	FLASH	P (W)		
60,00 m	6cm	648 ○	312 ○	69	2	TSL60+
60,00 m	6cm	648 ●	312 ○	69	2	TSL60W+

Product delivered with power supply kit + rectifier and 60m roll.

Braid garlands with flash or static




► with flash

◆	Ø	LED	FLASH	P (W)		
7,50 m	12,00 cm	210 ○	30 ○	13	13	TSL3FX
7,50 m	12,00 cm	210 ●	30 ○	13	13	TSL3WFX

► static

◆	Ø	LED	P (W)		
7,50 m	6,00 cm	240 ○	13	13	TSL2
7,50 m	6,00 cm	240 ●	13	13	TSL2W



product info

« Ready-to-fit ».

Strong lighting density.

Supplied on Ø 3mm sheathed steel wire rope. Quick-fit accessories, Multi-socket connectors,

ENERGY EFFICIENCY

Optimised energy management



It is time to accelerate the movement of the smart city «Smart City», for more energy saving.

Eco-design and sustainability of equipment as well as smart energy management are all part of a global eco-friendly urban policy. Blachere Illumination is committed to working alongside towns and cities and developing new solutions to protect our planet and safeguard everybody's future.

With our lighting management systems, you can remotely manage lighting times and detect anomalies with a single click. This means it's easier for cities or towns to manage and control electrical resources and fulfil their eco-friendliness and sustainable development objectives.

Smart and efficient systems for a sustainable city:

- automatic timers (p.111)
- Switch+ and/or Orchestra programmable systems (p.112-113).



UNIVERSAL «TEMPO2» BOX

By equipping your decorations with the Tempo2 box, you can disconnect them from the public lighting network and they automatically programme themselves for **7 hours** of lighting.
Compatible with Octoplus or any other kind of decor with 2P+T.

Ref : TEMPO2



«TEMPO+» BOX

By equipping your decorations with the Tempo+ box, you can disconnect them from the public lighting network and you can also set when you want them to switch on and off.

With a simple press, you can select **5, 6, 7, 8, 9 or 10 hours** of lighting and automatic switch-off. Octoplus compatible.

Ref : TEMPO+



ORCHESTRA BOX OPTION

All your decorations are equipped with Switch+ boxes, and you set up ORCHESTRA relay boxes (maximum distance to the box: 500m). You can control this system via an online interface, which you can open on your computer or tablet. You can programme your light displays and the days/times your illuminations are lit up. Remotely, you have a real-time view of how your light displays are operating and your energy savings, and you are alerted of any anomalies.

Ref: ask us for a personal assessment.



SWITCH+ BOX


Equip your light-up decorations and garlands with Switch+ boxes:

In one street, all your decorations are individually equipped with Switch+ boxes, forming a network (maximum distance between decorations: 50 m). This means you can disconnect your illuminations from the public lighting network and you can choose to switch them on only at certain times of the day or year, thus saving energy.

Pre-programmed by default or custom programming possible.

Ref: ask us for a tailored quotation

Switch+		Option Orchestra
Tracking energy savings	-	
Creating groups of decorations/trees	•	
Calendar programming (Days and times for groups to be on)	•	
Off-site order management	-	
Remote management of orders	-	
Managing alerts (anomalies)	-	
Real-time installation monitoring	-	
Lighting schedule optimization	•	
Security via Blachere Smartcloud	•	
Interface customization	-	
Lighting Scenarios (Timing schedules, group management, etc...)	-	



OCTOPLUS BY BLACHERE®

Exclusive



Octoplus by Blachere® 230V connector, protection rating **IP67**, according the European standard EN60529 on the degree of protection provided by enclosures.


Octoplus is the connector that enables **fast and multiple connection** between our decorations and most of our range of garlands.

Each item that is marked "Octoplus" can therefore **be connected** to another "Octoplus" item. This means **the combination of items is infinite** just by simplifying the electrical connections.




Safety extra-low voltage connector 12/24V



Octoplus®: Example of use No.1



Octoplus®: Example of use No.2



Octoplus®: Example of use No.3



Connexions 230V

Diagram/Picture	Description		<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Power cable 230V - 1.5m - HO5RN-F - 2x1mm ² with male plug and female Octoplus connector	Euro	FY08+	FY08-B+
		UK	FY08-UK+	FY08-BUK+
		Swiss	FY08-S+	FY08-BS+
		Wieland	FY08-W	FY08-BW
	AC/DC bridge rectifier (compulsory) for LED+ with Octoplus connector (M+F)	1A/230W	FY041A+	FY041A-B+
		3A/690W	FY043A+	FY043A-B+
	Octoplus extension 230V - HO5RN-F - 2x1mm ²	1m	FY01-1+	FY01-1B+
		2m	FY01-2+	FY01-2B+
		3m	FY01-3+	FY01-3B+
		5m	FY01-5+	FY01-5B+
		10m (2X5m)	FY01-10+	FY01-10B+
	Set of 5 end-caps plugs		FY1C+	FY1CB+
	T connector 230V		FYT+	FYT-B+
	Y connector 230V		FY030+	FY030-B+
	W connector 230V		FY031+	FY031-B+
	Collector - 230V - HO5RN-F L = 2 x 1.60m = 3.20m 20cm between connectors with 16 sockets and steel wire with PVC-coating 690 W max in total		FY023+	FY023-B+



Diagram/Picture	Description	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	IP66 multi-socket box with 4 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX4	BTX4-B
	IP66 multi-socket box with 8 Octoplus (F) outputs and one Octoplus (M) input	690 W max	BTX8	BTX8-B
	230V adaptor Sparklight and Stalactites (connector 2017 -> connector 2018)	-	FY230F2	FY230F2-B
	230V adaptor Sparklight and Stalactites (connector 2018 -> connector 2017)	-	FY230M1	FY230M1-B
	B22 bushing with M/F Octoplus connector	5W max	FY03B22	FY03B22-B
	Elasticated "SPECIAL TREE" connector to let the tree grow without any restrictions	set of 5	FY07A	-
	20cl tube of silicone sealant for full sealing of connectors (extreme environment)	-	NLC60	-
	IP66 quick connector for HO5RN-F cable	-	BT04	-
	Protective and adhesive foam	set of 10	FY-MOUS	-

24V Connections

Schéma/Photo	Descriptif	Obs.	<input checked="" type="checkbox"/>	<input type="checkbox"/>
	Rallonge PVC 1m 24V Connecteurs M-C1/F-C2		FY01-PVC	FY01B-PVC
	Rallonge PVC 2m 24V Connecteurs M-C1/F-C2		FY02-PVC	FY02B-PVC
	Rallonge PVC 5m 24V Connecteurs M-C1/F-C2		FY05-PVC	FY05B-PVC
	Connecteur 2 départs PVC 24V Connecteurs M-C1/F-C2		FY2-PVC	FY2B-PVC
	Connecteur 3 départs PVC 24V Connecteurs M-C1/F-C2		FY3-PVC	FY3B-PVC
	Transformateur 230V -> 24V avec connecteurs Octoplus	10W max	FYPRTR9	FYPRTR9B
	Transformateur 230V / 24V avec connecteurs Octoplus	100W		PRTR100W
	Collecteur 24V - PVC L: 80cm - 4 départs - espacement 20cm		FY024	FY024-B



Electrical accessories for Led Fil Lumière®



Electrical accessories for LED Platinium fil lumière®



NLC95-12 fil lumière® Led power cord kit NLC51L-12 Glueable L connector NLC92-12 Standardized glueable central "spins" NLC54-12 Glueable insulation end cap

The kit includes: 1 rubber power lead of 1m with plug and polarized connector + integrated AC/DC bridge rectifier, 1 power lead spin, 1 full spin, 1 pot of glue and 1 end cap.

Fixing accessories for Led fil lumière®



NLC56

X 100

NLC59



Repair kit for Led Platinium fil lumière® - 230V - IP55 - ø 12mm

NLKL01-12	10 m of fil lumière® white Led		(type NML41), 2 power leads	glue	10 connectors,	5 end caps
NLKL02-12	10 m of fil lumière® blue Led		(type NML42), 2 power leads	glue	10 connectors,	5 end caps
NLKL06-12	10 m of fil lumière® red Led		(type NML46), 2 power leads	glue	10 connectors,	5 end caps
NLKL01W12	10 m of fil lumière® warm white Led		(type NML41W), 2 power leads	glue	10 connectors,	5 end caps

For Blachere illumination motifs only

Fixing accessories for motifs



Photo	Infos	Ref
	Heart shape eye for Ø 4mm cable set of 10	D001
	Heart shape eye for Ø 6mm cable set of 10	D011
	Cable gripper for Ø 4mm cable set of 10	D002
	Cable gripper for Ø 6mm cable set of 10	D012
	Steel cable Ø 4mm 100m roll	D005
	Steel cable Ø 6mm 100m roll	D006
	Steel cable Ø 4mm with PVC sheath Ø 6mm 100m roll	D015
	Steel cable Ø 6mm with PVC sheath Ø 8mm 100m roll	D016

Photo	Infos	Réf
	Transverse unit for fastening to pole for Ø 11mm cable pair	MA011
	Eyebolt L: 150mm set of 2pcs	D033
	Galvanized steel shackle Ø 10mm	MA002
	Mixed stretcher unit - M10 L: 22 to 30cm	D004
	Ø 6mm Snap hook WLL 80kg	D0M7T
	safety sling L: 60cm WLL : 70kg	D026

Connections - Housing




Fixing accessories for polemounts



Fixing accessories for polemounts



Inverted cone
1 PIX03 (up)
1 PIX04 (down)
2 curtains H : 5m



PIX02 / PIX03

Circular brackets
Put together low-price 3D decorations on your columns with our circular brackets (inner diameter adjustable)



Cylinder
2 PIX03
2 curtains H : 5m

Christmas tree
1 PIX04 (up)
1 PIX02 (down)
1 curtain H : 3m

Free composition
2 PIX03
1 FL74WBF+
1 FL900E

Ref	Ø	Perimeter	pole Ø	usable with
PIX04	25 cm	0,80 m	60 à 120 mm	Curtains
PIX02	60 cm	1,90 m	60 à 200 mm	
PIX03	130 cm	4,00 m	60 à 200 mm	



Fixing accessories for motifs

"Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information"

FIX01 (pair)
Fastening device for pole



FIX01P (pair)
Strengthened fastening devices for poles (storm conditions) (wind area 3)





Fixing accessories for motifs

"Order your FIX01 fixing to colour match your lamp columns!!!
Let us know the corresponding RAL and get a customized quotation. Contact our sales department for information"

FIX01M (pair)
Fastening devices for facades



FIX01MC (pair)
Fastening devices for curved pole



Each fastening must be individually strapped twice (see diagram). For motifs exceeding a height of 3.5m, it is essential to use three fasteners per motif.

Ref: D007
Strapping box including 1 cutting pliers and 1 stappin pliers.

Ref: D008
Stainless steel strap Roll of 50m thickness : 0,7mm
Ref: D009
Staple-clip for steel strapset of 100
Ref: D010
Black protection strip for Stainless steel strap - L: 10 ml / 10 mm



D008



D010



FYS060N
Fixing of decorations on masts.
Black strap: l: 15mm, L: 600mm, 8cm mini ratchet, LC 50 daN
This strap is reusable and does not slip

Scenography/decoration accessories

Picture	Infos	Réf
	Concrete block 1000kg H:500mm L:1000mm I:1000mm avec anneau de levage et passage de fourche (in order)	PLO1000
	Concrete block 1500kg H:750mm L:1000mm I:1000mm avec anneau de levage et passage de fourche (in order)	
	Pyramid ballast 25kg Base 38 cm x 38 cm with carry handle	PLOSAC25
	Mounting base for 3D motif Ø : 800mm	PLA800OR
	Mounting base for 3D motif Ø : 1200mm	PLA1200OR

Picture	Infos	Réf
	barrier Opéra H :1,20m L :2,00m	BARRO1
	White pine barrier H : 0,80m L : 1,80m	
	To complement your decorations, we can provide you with our real fir trees sustainably cultivated and processed with flake finish based on fireproof natural cellulose fibre. Contact our sales department and choose your colours and finish.	

Picture	Infos	Réf
	Square Carpet Blue 4m x 4m	GPC300B
	Round carpet Blue Ø : 3m	
	Square Carpet Red Square Carpet Blue 4m x 4m	GPC300R
	Round carpet Red Ø : 3m	

Picture	Infos	Réf
	White cotton carpet roll 30m x 2,6m	GP500
	Red carpet roll 10m x 2m	
	Red - Ø 140mm Lot de 16	B14-1
	Gold - Ø 140mm Set of 16	
	Red - Ø 200mm Set of 9	B20-1
	Gold - Ø 200mm Set of 9	
	Red - Ø 280mm Set of 9	B28-1
	Gold - Ø 280mm Set of 2	
	Red and gold gift H : 0,55m L : 0,45m I : 0,45 m	JDK50R

Blachere international Scandinavian market

Blachere Illumination s.a.s

Worldwide headoffice

Zone industrielle Les Bourguignons
84400 Apt - France
tél : +33 (0) 413 068 002
fax : +33 (0) 490 747 367
sales@blachere-illumination.com
www.blachere-illumination.com

Géraldine - tél : +33 (0) 490 747 323
geraldine@blachere-illumination.com

Florence - tél : +33 (0) 490 747 642
florence@blachere-illumination.com

Marion - tél : +33 (0) 490 747 330
marion@blachere-illumination.com

Irène - tél : +33 (0) 490 747 396
i.baravet@blachere-illumination.com

Marie - tél : +33 (0) 490 747 044
marie@blachere-illumination.com

Cathy - tél : +33 (0) 490 747 325
cathy@blachere-illumination.com



Danemark/Denmark

Blachere Illumination Denmark
Norgesvej 2
6230 Rødekro
tel : +45 70 20 00 03
email : info@jadagroup.dk



Norvège/Norway

Blachere Illumination Norway - Eurosign
Stanseveien 21
0975 Oslo
tel : +47 23 00 85 00
email : salg@eurosign.no



Finlande/Finland

Blachere Illumination Finland - Lohikari
Ruoholahdenkatu 24
00180 Helsinki
tel : +358 9 565 7750
email : lohihari@lohihari.fi



Suède/Sweden

Blachere Illumination Sweden
Gustavslundsvägen 143,
167 51 Bromma
tel : +46 (0)72 601 66 46
email : andreas.phamgia@blachere-illumination.se



Around the world





Malmö